


**INTERIOR ELEVATION**


**SECTION A-A**

**THERMOSTOP MODEL  
GLACE-GUARD MARK III-266**  
DOOR THICKNESS = 75mm (3")





**SECTION B-B**

<p>NOTES: DRAWINGS NOT TO SCALE ALL DIMENSIONS ARE IN mm</p>						<p>APPROVED FOR MANUFACTURING BY: Name:..... Signature:..... Date:.....</p>							
						<p>MODEL</p>		<p>QTY.</p>		<p>DOOR</p>		<p>No. of PAN.</p>	
<p>GLACE-GUARD MARK III-266</p>		<p>X</p>		<p>XXXXmm</p>		<p>XXXXmm</p>		<p>X</p>		<p>X</p>		<p>ELECTRIC OPERATOR BY THERMOSTOP</p>	
				<p>XX' XX"</p>		<p>XX' XX"</p>							
		<p>OPENING</p>		<p>XXXXmm</p>		<p>XXXXmm</p>							
				<p>XX' XX"</p>		<p>XX' XX"</p>							
<p>3775 BOULEVARD LOSCH, ST-HUBERT, QUÉBEC J3Y 5T7</p>						<p>PROJECT NAME : XXXXXXXXXXXX DISTRIBUTOR : XXXXXXXXXXXX CONTRACTOR : XXXXXXXXXXXX ARCHITECT : XXXXXXXXXXXX</p>							
<p>DATE</p>		<p>DRAWN BY</p>		<p>VERIFIED BY</p>		<p>QUOTE No.</p>		<p>DRAWING No.</p>		<p>REVISION:</p>			
<p>xx/xx/xxxx</p>		<p>X.X.</p>		<p>L.H.</p>		<p>XXXXXX</p>		<p>XX/XX</p>		<p>XX</p>			



**NOTES:**

- 1 - ALL FRAMES, JAMB EXTENSIONS & PADS TO BE SUPPLIED, INSTALLED PLUMB & SQUARE AND PROPERLY SUPPORTED BY OTHERS. ALL INSIDE FACES MUST BE FLUSH & BOLTHEADS COUNTERSUNK.
- 2 - ALL CLEARANCES AS SIDEROOM, HEADROOM AND DEPTH TO BE UNOBSTRUCTED.
- 3 - STEEL FRAMES MAY BE BUILT OF CHANNEL, ANGLES & PLATE OR ANGLE WITH INTERIOR FLANGE 3" WIDE MIN. FOR FASTENING DOOR TRACKS JAMB EXTENSIONS & PADS AS SHOWN TO RECEIVE COUNTERBALANCE MECHANISM.



**NOTES:**

- ALL JAMB EXTENSIONS AND PADS TO BE SUPPLIED BY OTHERS.
- ALL ELECTRICAL WIRING (INCLUDING LOW VOLTAGE) BY OTHERS.

**APPROVED FOR MANUFACTURING BY:**

Nom:.....  
 Signature:.....  
 Date:.....

**THERMOSTOP INC.**


3775 BOULEVARD LOSCH, ST-HUBERT, QUÉBEC J3Y 5T7

PROJECT NAME : XXXXXXXXXXXX  
 DISTRIBUTOR : XXXXXXXXXXXX  
 CONTRACTOR : XXXXXXXXXXXX  
 ARCHITECT : XXXXXXXXXXXX

MODEL	QTY.	No DOOR	CLEARANCE REQ.			DEPTH	SECT.	GLASS
			A	B	C			
GLACE-GUARD MARK III-266	X		400mm	550mm	100mm	XXmm	X	GLASS TYPE



NOTE :  
DRAWINGS NOT TO SCALE  
ALL DIMENSIONS ARE IN mm

DATE	DRAWN BY	VERIFIED BY	QUOTE No.	DRAWING No.	REVISION:
XX/XX/XXXX	X.X.	L.H.	XXXXXX	XX/XX	XX



**NOTES :**

- 1 - ALL FRAMES, JAMB EXTENSIONS & PADS TO BE SUPPLIED, INSTALLED PLUMB & SQUARE AND PROPERLY SUPPORTED BY OTHERS. ALL INSIDE FACES MUST BE FLUSH & BOLTHEADS COUNTERSUNK.
- 2 - ALL CLEARANCES AS SIDEROOM, HEADROOM AND DEPTH TO BE UNOBSTRUCTED.
- 3 - STEEL FRAMES MAY BE BUILT OF CHANNEL, ANGLES & PLATE OR ANGLE WITH INTERIOR FLANGE 3" WIDE MIN. FOR FASTENING DOOR TRACKS JAMB EXTENSIONS & PADS AS SHOWN TO RECEIVE COUNTERBALANCE MECHANISM.



**STANDARD ELEVATION**

**NOTES:**

- ALL JAMB EXTENSIONS AND PADS TO BE SUPPLIED BY OTHERS.
- ALL ELECTRICAL WIRING (INCLUDING LOW VOLTAGE) BY OTHERS.


**APPROVED FOR MANUFACTURING BY:**  
 Nom:.....  
 Signature:.....  
 Date:.....

MODEL	QTY.	No DOOR	CLEARANCE REQ.			DEPTH	SECT.	GLASS
			A	B	C			
GLACE-GUARD MARK III-266	X		610mm	550mm	100mm	XXmm	X	GLASS TYPE

**THERMOSTOP INC.**  
 3775 BOULEVARD LOSCH, ST-HUBERT, QUÉBEC J3Y 5T7  
 PROJECT NAME : XXXXXXXXXXXX  
 DISTRIBUTOR : XXXXXXXXXXXX  
 CONTRACTOR : XXXXXXXXXXXX  
 ARCHITECT : XXXXXXXXXXXX




**NOTE:**  
 DRAWINGS NOT TO SCALE  
 ALL DIMENSIONS ARE IN mm

DATE	DRAWN BY	VERIFIED BY	QUOTE No.	DRAWING No.	REVISION:
XX/XX/XXXX	X.X.	L.H.	XXXXXX	XX/XX	XX



**NOTES:**

- 1 - ALL FRAMES, JAMB EXTENSIONS & PADS TO BE SUPPLIED, INSTALLED PLUMB & SQUARE AND PROPERLY SUPPORTED BY OTHERS. ALL INSIDE FACES MUST BE FLUSH & BOLTHEADS COUNTERSUNK.
- 2 - ALL CLEARANCES AS SIDEROOM, HEADROOM AND DEPTH TO BE UNOBSTRUCTED.
- 3 - STEEL FRAMES MAY BE BUILT OF CHANNEL, ANGLES & PLATE OR ANGLE WITH INTERIOR FLANGE 3" WIDE MIN. FOR FASTENING DOOR TRACKS JAMB EXTENSIONS & PADS AS SHOWN TO RECEIVE COUNTERBALANCE MECHANISM.



**NOTES:**

- ALL JAMB EXTENSIONS AND PADS TO BE SUPPLIED BY OTHERS.
- ALL ELECTRICAL WIRING (INCLUDING LOW VOLTAGE) BY OTHERS.


**APPROVED FOR MANUFACTURING BY:**  
 Nom:.....  
 Signature:.....  
 Date:.....

MODEL	QTY.	No DOOR	CLEARANCE REQ.			DEPTH	SECT.	GLASS
			A	B	C			
GLACE-GUARD MARK III-266	X		XXmm	550mm	100mm	XXmm	X	GLASS TYPE

**NOTE:**  
 DRAWINGS NOT TO SCALE  
 ALL DIMENSIONS ARE IN mm



**THERMOSTOP INC.**  
 3775 BOULEVARD LOSCH, ST-HUBERT, QUÉBEC J3Y 5T7  
 PROJECT NAME : XXXXXXXXXXXX  
 DISTRIBUTOR : XXXXXXXXXXXX  
 CONTRACTOR : XXXXXXXXXXXX  
 ARCHITECT : XXXXXXXXXXXX

DATE XX/XX/XXXX	DRAWN BY X.X.	VERIFIED BY L.H.	QUOTE No. XXXXXXX	DRAWING No. XX/XX	REVISION: XX
--------------------	------------------	---------------------	----------------------	----------------------	-----------------



**NOTES :**

- 1 - ALL FRAMES, JAMB EXTENSIONS & PADS TO BE SUPPLIED, INSTALLED PLUMB & SQUARE AND PROPERLY SUPPORTED BY OTHERS. ALL INSIDE FACES MUST BE FLUSH & BOLTHEADS COUNTERSUNK.
- 2 - ALL CLEARANCES AS SIDEROOM, HEADROOM AND DEPTH TO BE UNOBSTRUCTED.
- 3 - STEEL FRAMES MAY BE BUILT OF CHANNEL, ANGLES & PLATE OR ANGLE WITH INTERIOR FLANGE 3" WIDE MIN. FOR FASTENING DOOR TRACKS JAMB EXTENSIONS & PADS AS SHOWN TO RECEIVE COUNTERBALANCE MECHANISM.



**NOTES:**

- ALL JAMB EXTENSIONS AND PADS TO BE SUPPLIED BY OTHERS.
- ALL ELECTRICAL WIRING (INCLUDING LOW VOLTAGE) BY OTHERS.

**APPROVED FOR MANUFACTURING BY:**  
 Nom:.....  
 Signature:.....  
 Date:.....

MODEL	QTY.	No DOOR	CLEARANCE REQ.			DEPTH	SECT.	GLASS
			A	B	C			
GLACE-GUARD MARK III-266	X		XXmm	550mm	100mm	610mm	X	GLASS TYPE

**THERMOSTOP INC.**  
 3775 BOULEVARD LOSCH, ST-HUBERT, QUÉBEC J3Y 5T7  
 PROJECT NAME : XXXXXXXXXXXX  
 DISTRIBUTOR : XXXXXXXXXXXX  
 CONTRACTOR : XXXXXXXXXXXX  
 ARCHITECT : XXXXXXXXXXXX

**NOTE :**  
 DRAWINGS NOT TO SCALE  
 ALL DIMENSIONS ARE IN mm

DATE	DRAWN BY	VERIFIED BY	QUOTE No.	DRAWING No.	REVISION:
xx/xx/xxxx	X.X.	L.H.	XXXXXX	xx/xx	XX